| KLEEN-FLO TUMBLER IND | USTRIES LIMITED |) | MATERIAL SAFETY DATA SHEET PA | | | | |
|---|------------------------------------|--|-------------------------------|--------------------------------|-----------------|-------------------------|--|
| SECTION I-MATERIAL IDEN | NTIFICATION AND | USE | | | | | |
| Material Name/Identifier: | Injector Kleen | | Stock No. | | | 695 | |
| Manufacturer's Name: | Kleen-Flo Tumbler Industries Ltd | | Street Address: | | | 75 Advance Blvd. | |
| City: | Brampton | | Province: | | | Ontario | |
| Postal Code: | L6T 4N1 | | Emergency Phone #: CANUTEC:- | | | 613-996-6666 (24HR) | |
| Chemical Name: | N/A (mixture) | | Chemical Family: | | | N/A (mixture) | |
| Chemical Formula: | N/A (mixture) | | Trade Names & Synonyms: | | | None | |
| Material Use: | Cleaner | | Molecular Weight: | | | N/Av. (mixture) | |
| SECTION II-HAZARDOUS IN | GREDIENTS OF M | IATERIAL | | | | | |
| Hazardous | | Approximate | LD5 | LD50 | | LC50 | |
| Ingredients | C.A.S. | Concentration | Species & | Route | Species & Route | | |
| Hydrocarbon Solvent | 64741-86-2 | 1-5% | >2000mg/kg< | 5000 mg/kg ra | rat-oral N/Av. | | |
| Petroleum Naptha | 64742-94-5 | 1-5% | N/Av. | 1 | | N/Av. | |
| Stoddard solvent | 8052-41-3 | 60-100% | > 5 g/kg rat-o | > 5 g/kg rat-oral > 5 | | > 5 g/m3 rat-inh. | |
| SECTION III-PHYSICAL DAT | TA FOR MATERIAL | <u>L</u> | | | | | |
| Physical State: | Liquid | Odour/Appearance: Strong solvent odo | | | nt odour /Clea | lour /Clear, red liquid | |
| Specific Gravity: | 0.796 | Odour Threshold(p.p.m.): | | 100 ppm TWA (Stoddard solvent) | | | |
| Boiling Point: | 158-195°C | Evaporation Rate: | | N/E | | | |
| Freezing Point: | N/E | Solubility in Water: Insol | | Insoluble | nsoluble | | |
| % Volatile(by volume): | N/E | Vapour Pressure(mm)Hg: N/E | | | | | |
| Vapour Density(Air=1): | N/E | Coefficient of Water/Oil Distribut: N/E | | | | | |
| рН | N/Av. | | | | | | |
| SECTION IV-FIRE AND EXP | LOSION HAZARD (| OF MATERIAL | | | | | |
| Flammability Yes/No | Yes, combustible li | quid If yes under which conditions?: upon ignition above 40°C | | | | | |
| Auto Ignition Temperature: | 260°C | Means of Extinguishing: Carbon dioxide, Foam, Water Fog, Dry Chemical | | | | | |
| Flashpoint and Method: | 39°C Tag CC | Hazardous Combustion Products:Carbon dioxide, carbon monoxide, aldehyde, | | | | | |
| | | ammonia, propylamineglycol, plyalkylglycol, aliphatic alcohol may be released. | | | | | |
| Upper Flammable limit (%vol) | 5.6 | Lower Flammable Limit (% vol): 0.8 | | | | | |
| Explosion Data: | Sensitivity to mech | vity to mechanical impact: N/E Sensitivity to Static Discharge: N/E | | | | | |
| SECTION V-REACTIVITY DA | ATA | | | | | | |
| Chemical Stability Yes/No: | Yes If NO under which conditions?: | | | N/E | | | |
| Incompatibility to Other Substances Yes/No: | | Yes If so which ones? Strong oxidizing materials | | | | | |
| Reactivity and under what conditions? | | Avoid spark, open flames and other sources of ignition | | | | | |
| Hazardous Decomposition Products: Carbon monoxide, carbon dioxide, aldehyde, ammonia, propylamineglycol and | | | | | | lamineglycol and | |
| - | | aliphatic alcohol ma | y be released. | | | | |
| N/E: not established | | N/Ap.: No | t applicable | | | N/Av.: not available | |

| Material Name/Identifier: | Injector Kleen | Stock No. | 695 | PAGE 2 | | | | |
|---|--|---|---------------|--------|--|--|--|--|
| SECTION VI-TOXICOLOGICAL PROPERTIES OF PRODUCT | | | | | | | | |
| Route of Entry: All routes | SKIN CONTACTSKIN ABSORPTIO | ONEYE CONTACTINHALAT | TIONINGESTION | | | | | |
| Effects of Acute Exposure: | May cause eye and skin irritation, if aspirated may cause lungs damage. | | | | | | | |
| Effects of chronic exposure: | Prolonged exposure to high vapor concentration can cause headaches, dizziness, nausea & other central | | | | | | | |
| | nervous system effects. Small amount of liquid aspirated in to lungs during ingestion or from vomiting | | | | | | | |
| | may cause chemical pneumonitis or pulmonary edema. Prolong and repeated contact with skin cause | | | | | | | |
| | defatting and drying of the skin resulting in skin irritation and dermatitis. | | | | | | | |
| LD 50 of Product: | N/E | LC 50 of Product: | | N/E | | | | |
| Irritancy of Product: | eye and skin irritant | Exposure Limits of Product: | | N/E | | | | |
| Sensitization of Product: | N/E | Toxicologically Synergistic Mater | rials: | N/E | | | | |
| CARCINOGENICITYRE | PRODUCTIVE EFFECTSTERATOGEN | ICITYMUTAGENICITY | none known | | | | | |
| SECTION VII-PREVENTIVE Personal Protective Equipment Gloves(specify): Respiratory(specify): Respiratory Protection: | | | | | | | | |
| Engineering Controls: Leak and Spill Procedure: | Local exhaust ventillation Use inert obserbent eliminate all sources of imition, ventillated area. Wear require town protection | | | | | | | |
| Waste Disposal: | Use inert absorbent, eliminate all sources of ignition. ventillated area. Wear respiratory protection. Local govt. approved method in your area | | | | | | | |
| waste Disposai. | Local gove approved method in your area | | | | | | | |
| Storage Requirements: | Store in a cool, well ventillated area. Avoid sources of ignition and excessive heat. | | | | | | | |
| Handling Procedures and | Keep container closed when not in use. Kepp away from children. Do not inhale or ingest. | | | | | | | |
| Equipment: | | FF | | | | | | |
| TDG Classification: | Non Controlled | | | | | | | |
| WHMIS Classification: | Consumer commodity | Complies with CCCR. | | | | | | |
| SECTION VIII-FIRST AID MEASURES | | | | | | | | |
| Eye: | Flush eyes with water for at least 15 minutes. If irritation persists, seek medical help immediately. | | | | | | | |
| Skin: | Wash contaminated skin with mild soap and water. If irritation persist consult doctor. | | | | | | | |
| Inhalation: | Remove patient to fresh air and restore breathing if required. If discomfort persist see doctor. | | | | | | | |
| Ingestion: | DO NOT INDUCE VOMITNG. Get medical help immediately. | | | | | | | |
| SECTION IX-PREPARATION | N DATE OF M.S.D.S. | | | | | | | |
| Additional Info/Comments: | | Sources Used: Supplier's data | | | | | | |
| Phone Number: | (905) 793-4311 | Prepared By: Quality Control Laboratory | | | | | | |
| Date Prepared: | January 2, 2015 Kleen-Flo Tumbler Industries Limited | | | | | | | |
| | | | | | | | | |
| THIS SHEET SUPERSEDES ANY OTHER M.S.D.S. PREVIOUSLY PREPARED | | | | | | | | |
| N/E: not established N/Ap.: Not applicable N/Av.: not available | | | | | | | | |
| | | | | | | | | |