Shell GadusRail S2 Wheel Flange Grease 0 Version 1.2 Effective Date 2015-01-12

According to the Controlled Product Regulations

Material Safety Data Sheet

1. MATERIAL AND COMPANY IDENTIFICATION

Material Name Uses Product Code	 Shell GadusRail S2 Wheel Flange Grease 0 Automotive and industrial grease. 001D8468
Manufacturer/Supplier	: Shell Canada Products 400 - 4th Avenue S.W Calgary AB T2P 0J4 Canada
Telephone	: (+1) 8006611600
Fax	: (+1) 4033848345
Emergency Telephone Nun	ber

: CHEMTREC (24 hr): (+1) 800-424-9300 CANUTEC (24 hr): (+1) 613-996-6666

2. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture Description: : A lubricating grease consisting of highly-refined mineral oil and additives.

The highly refined mineral oil contains <3% (w/w) DMSO-extract, according to IP346.

Refer to Chapter 8 for Occupational Exposure Guidelines.

3. HAZARDS IDENTIFICATION

WHMIS Class/Description Routes of Exposure	:	THIS PRODUCT IS NOT A WHMIS CONTROLLED SUBSTANCE. Skin and eye contact are the primary routes of exposure
Health Hazards	:	although exposure may occur following accidental ingestion. Not expected to be a health hazard when used under normal conditions. Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis. High-pressure injection under the skin may cause serious damage including local necrosis. Used grease may contain harmful impurities.
Signs and Symptoms Safety Hazards	:	Local necrosis is evidenced by delayed onset of pain and tissue damage a few hours following injection. Oil acne/folliculitis signs and symptoms may include formation of black pustules and spots on the skin of exposed areas. Ingestion may result in nausea, vomiting and/or diarrhoea. Not classified as flammable but will burn.
Environmental Hazards	:	Not classified as dangerous for the environment.

Material Safety Data Sheet

Effective Date 2015-01	-12
------------------------	-----

According to the Controlled Product Regulations

4. FIRST AID MEASURES	
General Information	: Not expected to be a health hazard when used under normal conditions.
Inhalation	 No treatment necessary under normal conditions of use. If symptoms persist, obtain medical advice.
Skin Contact	: Remove contaminated clothing. Flush exposed area with water and follow by washing with soap if available. If persistent irritation occurs, obtain medical attention. When using high pressure equipment, injection of product under the skin can occur. If high pressure injuries occur, the casualty should be sent immediately to a hospital. Do not wait for symptoms to develop. Obtain medical attention even in the absence of apparent wounds.
Eye Contact	: Flush eye with copious quantities of water. If persistent irritation occurs, obtain medical attention.
Ingestion	 In general no treatment is necessary unless large quantities are swallowed, however, get medical advice.
Advice to Physician	: Treat symptomatically. High pressure injection injuries require prompt surgical intervention and possibly steroid therapy, to minimise tissue damage and loss of function. Because entry wounds are small and do not reflect the seriousness of the underlying damage, surgical exploration to determine the extent of involvement may be necessary. Local anaesthetics or hot soaks should be avoided because they can contribute to swelling, vasospasm and ischaemia. Prompt surgical decompression, debridement and evacuation of foreign material should be performed under general anaesthetics, and wide exploration is essential.

5. FIRE FIGHTING MEASURES

Clear fire area of all non-emergency personnel.

Flash point Upper / lower Flammability or Explosion limits		> 180 °C / 356 °F (COC) Typical 1 - 10 %(V)(based on mineral oil)
Auto ignition temperature	:	> 320 °C / 608 °F
Hazardous Combustion Products and Specific Hazards	:	Hazardous combustion products may include: A complex mixture of airborne solid and liquid particulates and gases (smoke). Carbon monoxide. Unidentified organic and inorganic compounds.
Suitable Extinguishing	:	Foam, water spray or fog. Dry chemical powder, carbon
Media		dioxide, sand or earth may be used for small fires only.
Unsuitable Extinguishing Media	:	Do not use water in a jet.
Protective Equipment for Firefighters	:	Proper protective equipment including breathing apparatus must be worn when approaching a fire in a confined space.

Effective Date 2015-01-12

According to the Controlled Product Regulations

6. ACCIDENTAL RELEASE MEASURES **Protective Measures** : Avoid contact with skin and eyes. Use appropriate containment to avoid environmental contamination. Prevent from spreading or entering drains, ditches or rivers by using sand, earth, or other appropriate barriers. Clean Up Methods : Shovel into a suitable clearly marked container for disposal or reclamation in accordance with local regulations. 7. HANDLING AND STORAGE **General Precautions** : Use local exhaust ventilation if there is risk of inhalation of vapours, mists or aerosols. Properly dispose of any contaminated rags or cleaning materials in order to prevent fires. Use the information in this data sheet as input to a risk assessment of local circumstances to help determine appropriate controls for safe handling, storage and disposal of this material. Handling : Avoid prolonged or repeated contact with skin. Avoid inhaling vapour and/or mists. When handling product in drums, safety footwear should be worn and proper handling equipment should be used. : Keep container tightly closed and in a cool, well-ventilated Storage place. Use properly labelled and closeable containers. Store at ambient temperature. For containers or container linings, use mild steel or high **Recommended Materials** density polyethylene. Unsuitable Materials ÷ PVC. Additional Information Polyethylene containers should not be exposed to high temperatures because of possible risk of distortion.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Material Safety Data Sheet

If the American Conference of Governmental Industrial Hygienists (ACGIH) value is provided on this document, it is provided for information only.

Occupational Exposure Limits

Material	Source	Туре	ppm	mg/m3	Notation
Oil mist, mineral	ACGIH	TWA(Inhala ble fraction.)		5 mg/m3	

Consult local authorities for acceptable exposure limits within their jurisdiction.

Effective Date 2015-01-12

According to the Controlled Product Regulations

Additional Information	: Due to the product's semi-solid consistency, generation of
Exposure Controls	 mists and dusts is unlikely to occur. The level of protection and types of controls necessary will vary depending upon potential exposure conditions. Select controls based on a risk assessment of local circumstances. Appropriate measures include: Adequate ventilation to control airborne concentrations. Where material is heated, sprayed or mist formed, there is greater potential for airborne concentrations to be generated.
Personal Protective Equipment	: Personal protective equipment (PPE) should meet recommended national standards. Check with PPE suppliers.
Respiratory Protection	 Recommended national standards. Check with PPE suppliers. No respiratory protection is ordinarily required under normal conditions of use. In accordance with good industrial hygiene practices, precautions should be taken to avoid breathing of material. If engineering controls do not maintain airborne concentrations to a level which is adequate to protect worker health, select respiratory protection equipment suitable for the specific conditions of use and meeting relevant legislation. Check with respiratory protective equipment suppliers. Where air-filtering respirators are suitable, select an appropriate combination of mask and filter. Select a filter suitable for software particulate/organic gases and vapours [boiling point >65°C(149 °F)].
Hand Protection	: Where hand contact with the product may occur the use of gloves approved to relevant standards (e.g. Europe: EN374, US: F739) made from the following materials may provide suitable chemical protection: PVC, neoprene or nitrile rubber gloves. Suitability and durability of a glove is dependent on usage, e.g. frequency and duration of contact, chemical resistance of glove material, glove thickness, dexterity. Always seek advice from glove suppliers. Contaminated gloves should be replaced. Personal hygiene is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. Application of a non-perfumed moisturizer is recommended.
Eye Protection	: Wear safety glasses or full face shield if splashes are likely to
Protective Clothing	 occur. Skin protection not ordinarily required beyond standard issue work clothes.
Monitoring Methods Environmental Exposure	 Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls. For some substances biological monitoring may also be appropriate. Minimise release to the environment. An environmental
Controls	assessment must be made to ensure compliance with local environmental legislation.

9. PHYSICAL AND CHEMICAL PROPERTIES

Material Safety Data Sheet

 Appearance
 : Dark grey. Semi-solid at ambient temperature.

 4/8

Print Date 2015-01-12

Effective Date 2015-01-12

According to the Controlled Product Regulations

Material Safety Data Sheet

Odour Odour threshold pH Initial Boiling Point and Boiling Range Dropping point	 Slight hydrocarbon. Data not available Not applicable. Data not available Typical 166 °C / 330 °F
Vapour pressure Specific gravity	: < 0.5 Pa at 20 °C / 68 °F (estimated value(s)) : Typical 0.9 at 15 °C / 59 °F
Density Water solubility n-octanol/water partition coefficient (log Pow) Kinematic viscosity Vapour density (air=1) Evaporation rate (nBuAc=1)	

10. STABILITY AND REACTIVITY

Stability Conditions to Avoid Materials to Avoid Hazardous Decomposition Products Hazardous Polymerisation	able. tremes of temperature and ong oxidising agents. zardous decomposition pr ring normal storage.	I direct sunlight. oducts are not expected to form
Sensitivity to Mechanical Impact Sensitivity to Static Discharge		

11. TOXICOLOGICAL INFORMATION

Basis for Assessment	:	Information given is based on data on the components and the toxicology of similar products.
Routes of Exposure	:	Skin and eye contact are the primary routes of exposure although exposure may occur following accidental ingestion.
Acute Oral Toxicity	:	Expected to be of low toxicity: LD50 > 5000 mg/kg , Rat.
Acute Dermal Toxicity	:	Expected to be of low toxicity: LD50 > 5000 mg/kg , Rabbit.
Acute Inhalation Toxicity	:	Not considered to be an inhalation hazard under normal conditions of use.
Skin Irritation	:	Expected to be slightly irritating. Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis.
Eye Irritation	:	Expected to be slightly irritating.
Respiratory Irritation	:	Inhalation of vapours or mists may cause irritation.
Sensitisation	:	Not expected to be a skin sensitiser.
Repeated Dose Toxicity	:	Not expected to be a hazard.
Mutagenicity	:	Not considered a mutagenic hazard.
Carcinogenicity	:	Product contains mineral oils of types shown to be non-

Print Date 2015-01-12

Effective Date 2015-01-12

According to the Controlled Product Regulations

Reproductive and Developmental Toxicity	 carcinogenic in animal skin-painting studies. Highly refined mineral oils are not classified as carcinogenic by the International Agency for Research on Cancer (IARC). Other components are not known to be associated with carcinogenic effects. Not expected to be a hazard.
Additional Information	 Used grease may contain harmful impurities that have accumulated during use. The concentration of such harmful impurities will depend on use and they may present risks to health and the environment on disposal. ALL used grease should be handled with caution and skin contact avoided as far as possible. High pressure injection of product into the skin may lead to local necrosis if the product is not surgically removed.

12. ECOLOGICAL INFORMATION

Material Safety Data Sheet

Ecotoxicological data have not been determined specifically for this product. Information given is based on a knowledge of the components and the ecotoxicology of similar products.

Acute Toxicity	 Poorly soluble mixture.May cause physical organisms.Expected to be practically non t 100 mg/l(to aquatic organisms)(LL/EL50 ex nominal amount of product required to pre- extract).Mineral oil is not expected to caus 	xpressed as the pare aqueous test
	to aquatic organisms at concentrations les	
Mobility	: Semi-solid under most environmental conc water. If it enters soil, it will adsorb to soil p be mobile.	
Persistence/degradability	: Expected to be not readily biodegradable. are expected to be inherently biodegradab contains components that may persist in the	le, but the product
Bioaccumulation	: Contains components with the potential to	bioaccumulate.
Other Adverse Effects	: Product is a mixture of non-volatile compo expected to be released to air in any signif expected to have ozone depletion potentia ozone creation potential or global warming	icant quantities. Not I, photochemical
13. DISPOSAL CONSIDERATION	NS	
Material Disposal	: Recover or recycle if possible. It is the resp waste generator to determine the toxicity a properties of the material generated to deter waste classification and disposal methods applicable regulations. Do not dispose into drains or in water courses.	nd physical ermine the proper in compliance with
Container Disposal	: Dispose in accordance with prevailing regulation a recognised collector or contractor. The c	
	6/8	
Print Date 2015-01-12		0000002184

Effective Date 2015-01-12

According to the Controlled Product Regulations

Material Safety Data Sheet

		collector or contractor should be established beforehand.
Local Legislation	:	Disposal should be in accordance with applicable regional,
		national, and local laws and regulations.

14. TRANSPORT INFORMATION

Canadian Road and Rail Shipping Classification

This product is not regulated under the Canadian Transportation of Dangerous Goods Regulations for transport by road and rail.

15. REGULATORY INFORMATION

The regulatory information is not intended to be comprehensive. Other regulations may apply to this material.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

WHMIS Class/Description	:	THIS PRODUCT IS NOT A WHMIS CONTROLLED SUBSTANCE.		
Inventory Status				
EINECS	:	All components listed or polymer exempt.		
TSCA	:	All components listed.		
DSL	:	All components listed.		
16. OTHER INFORMATION				
MSDS Version Number	:	1.2		
MSDS Effective Date	:	2015-01-12		
MSDS Revisions	:	A vertical bar () in the left margin indicates an amendment from the previous version.		
MSDS Regulation	:	The content and format of this (M)SDS is in accordance with the Controlled Product Regulations.		
MSDS Prepared By	:	Shell Product Stewardship; 1-800-661-1600		
MSDS Distribution	:	The information in this document should be made available to all who may handle the product.		
Disclaimer	:	The information contained herein is based on our current knowledge of the underlying data and is intended to describe the product for the purpose of health, safety and environmental		
7/8				
Print Date 2015-01-12		00000021844		

MSDS_CA

Effective Date 2015-01-12 According to the Controlled Product Regulations

Material Safety Data Sheet

requirements only. No warranty or guarantee is expressed or implied regarding the accuracy of these data or the results to be obtained from the use of the product.